



VyOS

The universal networking platform



THE UNIVERSAL NETWORKING PLATFORM

PRODUCT DATA SHEET

V3.0

VyOS is a network operating system based on GNU/Linux that ties multiple open source network applications under a single, unified configuration interface.

It's a truly multi-platform and multi-cloud networking solution:

- **Wide range of COTS hardware available for bare metal deployments.**

Support for all major hypervisors (including VMware ESXi, Microsoft Hyper-V, Linux KVM, RHEV, Xen, ProxMox, Nutanix AHV , Zedada EVE-OS and Oracle (OVM v3.x | Oracle Linux KVM v7.6, v7.7, v7.8, v8.x | VirtualBox)

- **VyOS is supported on major public cloud providers**

AWS, Microsoft Azure, Google Cloud Platform, Oracle Cloud Infrastructure, Equinix Metal , Equinix Network-Edge, Oracle Private Cloud Appliance, Openstack and Exoscale

- **Single network OS for all environments**


Bare metal, Virtual, and Cloud. Multiple network device roles in one platform (VyOS can serve as a Edge Router, Firewall, VPN Gateway, Edge IoT Gateway, BRAS, Cloud Gateway and many more devices.

- **VyOS provides automation tools integrations**


Such as (Terraform , Custom Scripting ,Cloud-init, SaltStack and Ansible) and APIs (HTTP API and open internal APIs available) for management and custom integrations.

- **VyOS CLI was designed for productivity and reliability**

It comes with a stateful system, a commit/rollback mechanism, user session separation and versioning/archiving to remote servers.



VyOS runs equally well on bare-metal hardware, hypervisors and cloud platforms.



UNIVERSAL

VyOS is completely unbundled from any hardware or software platform. You can run it on a wide range of bare metal hardware. You can use any AMD or Intel processor and a variety of network cards.

FLEXIBLE

VyOS brings you a variety of routing and network security features, from dynamic routing protocols to a zone-based firewall. It offers more VPN protocols than any other solution: you can choose enterprise DMVPN, site-to-site IPsec and plenty of other protocols. It also offers an HTTP API and OpenAPI for developing extensions that will look indistinguishable from built-in features.

VyOS deployment and configuration can be automated and scaled with cloud-init, Terraform, Ansible, or our own HTTP API.

If you need to use VyOS with platform-specific drivers or additional software, you can build a custom installation image and deploy it at a scale.

COST EFFICIENT

We provide VyOS Software Access Subscriptions, Professional Tech-Support and Cloud Packs that allow you to deploy unlimited numbers of instances for a flat yearly fee. There is no limit for the number of users, tunnels, or anything else—the only limit is your hardware capacity.

SECURITY for your network

Networks keep growing exponentially but also security breaches and cyber attacks grow too. We care about the confidentiality, integrity and availability of your network.

- Secure your network using VyOS as a stateful firewall.
- Encrypt your data flow between your HQ, Branches, Clouds and Road Warriors
- Ensure your network's integrity by logging all your traffic.
- Enhance your private network safety keeping internal addressing private from the external networks.

SUPPORT for your business

Go hand in hand with VyOS. We'll always be there to help you and your business. There are different tiers of support subscriptions that will fit your needs.

- Up to one hour response service level agreement.
- Wide Variety of languages are available for you with our support services.
- 24x7 assistance via Remote Session|E-mail|Chat|Web|Phone.
- 30 Days money refund if you don't like our services for any reason.
- 100% discount on our certifications if you have any of our subscriptions.

SUPPORT for your needs

VyOS is a customizable Linux-based platform and brings you features like routing, firewalling, traffic shaping, tunneling, and more! It comes with a powerful toolbox and if a specific feature is needed, we can make it real for you. VyOS can adapt itself into the solution you need.

- Use VyOS as a powerful router compatible with BGP, OSPF, RIP/RIPng and PBR.
- Deploy VyOS as a VPN Gateway that supports IPsec, WireGuard, OpenVPN, L2TP IPsec, VTI, VXLAN, PPTP, and tunnel interfaces (GRE, IPIP, SIT).
- Guarantee High Availability using VRRP redundancy protocol & contrack-sync.
- Prioritize your traffic doing shaping with QoS policies.
- Customized features development to fit your needs.

SECURITY for your growth

With VyOS, you set your own limits. Deploy instances as you grow, manage as much traffic as your need. All features are included free of charge. VyOS only charges the Support Subscription per cluster (2 units in HA)

- Free of charge support for the second unit in HA clusters.
- Easy to deploy as bare metal, at hyper-visor, in containers or even in the cloud.
- Forget about licenses per-throughput or per-tunnel, grow with no worries.
- Scale your IoT infrastructure protecting your devices.
- Save time and effort automating deployments with Cloud-init and Terraform tools.

VyOS runs equally well on bare-metal hardware, hypervisors and cloud platforms. Using the same network OS on all platforms frees administrators from the need to manage multiple products and allows to have the same feature set everywhere. It also lowers the cost of automation and personnel training.

VyOS system requirements and deployment options:

Requirements	Distributions
CPU: Any 64-bit x86 Intel or AMD	VyOS is Available as: ISO, OVA, RAW, QCOW2, VHD, XVA
RAM: 1024 MB (2048 recommended)	

System requirements and deployment options:

Deployment Option	Supported
Bare Metal	Dell EMC, EdgeCore, Lanner, Supermicro, Equinix Metal (Formerly known as Packet) Generic Images for x86 Compatible Servers
HyperVisor	Optimized Images for: XCP-ng, Citrix HyperVisor, Xen HVM, VMware vSphere, OpenStack, Proxmox, Nutanix , Zededa EVE-OS , Hyper-V, Oracle (OVM v3.x Oracle Linux KVM v7.6, v7.7, v7.8, v8.x VirtualBox)
Containers	Docker / Podman
Cloud Provider	Amazon Web Services (AWS), AWS Outposts , Microsoft Azure, Azure Stack Hub , Google Cloud Platform, Oracle Cloud Infrastructure, Equinix Metal, Equinix Network-Edge, Exoscale

Being a Universal Networking Platform not only means being able to be deployed at any instance, it also means to serve as different network devices and solutions.

Below you will find the different features and protocols that VyOS supports:

Note that if you don't find a specific feature or protocol below, does not mean it cannot be supported. VyOS is a highly customizable platform and can be adapted to support a specific feature if needed.

The features below are available for both IPv4 & IPv6 protocols.

Feature	Supported
Supported Interfaces	Up to 100 Gbps interfaces, 802.1q VLAN, 802.1ad QinQ, 802.3ad and other bonding protocols, Software Bridging, Paravirtualized NICs (vmxnet3 & virtio), Virtual Ethernet(veth), Wireless (WiFi & Cellular Networks)
Routing Protocols	BGP,EVPN-VxLAN, MPLS , L3VPN, RPKI, OSPF (V2 & V3), Babel , RIP, RIPng, BFD, BFD Monitoring, Policy Based Routing (PBR), Multicast (MLD, IGMP proxy v2 & v3, PIM-SM), Failover routes.
Firewalling	Stateful Connection Tracking, Zone Based Firewall, GeoIP matching, Address/ports/network groups , interfaces / mac-address groups , Domains groups, Firewall bridge and Flowtables.
NAT	Source and Destination NAT (One to-One, Many to-Many, One to many), Balancing, Masquerade, Network prefix Translation , NAT66
Tunnels	Wireguard ,OpenConnect ,OpenVPN(P2P, Client & Server), OpenVPN DCO, GRE, IPIP, SIT, IP6IP6, L2TPv3, VXLAN, SSTP (Client & Server),GENEVE, PPPoE (Client & Server), IPoE Server.
Services	DNS Forwarding, Dynamic DNS, mDNS Repeater, DHCP Server and Relay, IPv6 Router Advertisements, NTP (Client & Server), LLDP (Client & Server), TFTP Server, Web Proxy Server) , Event Handler, LLDP, Integration IDS/IPS (Suricata), Reverse-proxy and load-balancer .
QoS	Traffic Shaping and Matching, Rate Limiting, Rate Control (TBF), Traffic Queues (Drop-Tail FIFO, Fair Queue (SFQ), FQ CoDel, Round Robin (DRR), Random Early Detection (RED/WRED))
Management & Monitoring	SSH, HTTP API, SNMP (V2 & V3), NetFlow, sFlow, Telegraf, Prometheus-client, Zabbix-agent, Syslog
High Availability	VRRP, WAN Load Balancing, Connection State Synchronization, Contrack Synchronization, Virtual-server load-balancing
Supported Automation Tools	Ansible, SaltStack, Cloud init, Terraform
Additional Features	Intel QuickAssist Cryptographic Hardware Acceleration (QAT), TACACS+, RADIUS, DDoS Protection Integration with FastNetMon